


MCCORMICK ADAPTOR CABLE (TRACTOR)

• CONNECT AMS CAMERAS TO YOUR DSM MONITOR




The adaptor cable MC DSM enables to equip DSM monitor of McCormick's tractors :

- serie X8 VT-Drive
- serie X7 VT-Drive and P6-Drive (option)
- serie X6.4 (option)

• CONNECTION

The video input is located at the rear of the monitor*



If a cable is already connected to the video input # 1, please unplug it to connect our cable

* The control of 2 cameras depends on the software version

* Camera and original monitor are not included. All the AMS cameras are compatible with this adaptor cable (except wireless camera)

MCCORMICK ADAPTOR CABLE (TRACTOR)

· VISUAL DISPLAY ON THE TOUCH-SCREEN

1.



Application menu
Select «camera»

2.



Camera 1

Camera 2 (depending on version)

Intermittent mode (depending on version)

3.



Available options

- «PLAY / PAUSE»
- Full Screen Display
- Adjustment: brightness - contrast - saturation
- Image rotation and mirror effect

MCCORMICK ADAPTOR CABLE (TRACTOR)

• RECOMMENDATIONS

If your monitor does not have a video input management system, contact ARGO for an update of the system.

• WARRANTY

The product is guaranteed for two years as from the date of sale to the end user, remembering that the sale must take place within 24 months after delivery to the concession.

• AFTER SALES SERVICE

Reserved for professionals

→ Download the service form from our site <http://pro.ams-diffusion.fr/aftersale/>

When returning, please include the following documents for managing repairs and the warranty:

- The return-authorisation form duly completed
- A copy of the invoice with the date of sale to the end user
- The reason for the claim, or a description of the malfunction.

For more information, contact our technical department

→ Tel : +33 (0)3 27 94 44 44 or @ : contact@ams-diffusion.com

If you are the end user

Please go to your dealer.



AMS Diffusion

Tél. +33 3 27 94 44 44

Fax. +33 3 27 94 44 45

contact@ams-diffusion.com