

USER GUIDE

Adaptor cable

Item code: VICAM-AMS-NHL-COMBINE2

ADAPTOR CABLE: NEW HOLLAND HARVESTER

· CONNECT AMS CAMERAS TO YOUR INTELLIVIEW IV MONITOR







INTELLIVIEW IV
(2nd Intelliview monitor in option)

Adaptor cable NHL COMBINE2

AMS camera*

The adaptor cable NHL COMBINE2 enables the use of the INTELLIVIEW IV monitor in New Holland harvesters (CR7, CR8, CR9 and CR10 from January 2015) with an AMS camera. The monitor has 3 video inputs.

· CONNECTION TO THE MACHINE

Locate the empty connectors ramp affected to the video under the front of the cab:





(Connector Deutsh 4 male pins)

DISPLAY 2 DISPLAY 1
C3 C2 C1 C3 C2 C1

* Camera and original monitor are not included. All the AMS cameras are compatible with this adaptor cable (except wireless camera)







ADAPTOR CABLE: NEW HOLLAND HARVESTER

· VISUAL DISPLAY ON THE TOUCH-SCREEN

1.





Press the Diagnostics button

2.



Configuration

3.



Select and set-up the functions of each camera

4.





Swap functions if the camera is not displayed.









ADAPTOR CABLE: NEW HOLLAND HARVESTER

RECOMMENDATIONS

If your monitor INTELLIVIEW IV does not have a video input management system, contact CNH for an update of the system. You need at least version v.21 of the software. INTELLIVIEW.

WARRANTY

The product is guaranteed for two years as from the date of sale to the end user, remembering that the sale must take place within 24 months after delivery to the concession.

AFTER SALES SERVICE

Reserved for professionals

→ Download the service form from our site.

When returning, please include the following documents for managing repairs and the warranty:

- → The return-authorisation form duly completed
- → A copy of the invoice with the date of sale to the end user
- → The reason for the claim, or a description of the malfunction.

For more information, contact our technical department

→ Tel: +33 (0)3 27 94 44 44 or @: contact@ams-diffusion.com

If you are the end user

Please go to your dealer.





